

NEXT GENERATION

QUADA

Program 057



Front colours



No. 791 quarz grey matt



No. 722 polar white hgl.



No. 686 anthracite hgl.



No. 792 elm



No. 755 hacienda black



No. 769 hacienda grey



no. 784 light oak



no. 786 truffle oak




no. 794 sand oak



no. 680 Charleston oak

Carcase colours


* High gloss carcasse against additional price



no. 190
pearl texture white
matt



no. 191
quarz grey matt



*no. 161
white hgl.



*no. 121
anthracite hgl.



No. 192
elm



no. 155
hacienda black



no. 169
hacienda grey



no. 184
light oak



no. 186
truffle oak



no. 194
sand oak



no. 180
Charleston oak

Washbasin colours

Cast mineral washbasins

Ceramic washbasins



no. 1
white



no. 1
white



No. 321 rail handle chrome

Technique

door with integrated buffered closing

Pull outs and drawers

No. 556

Pull outs and drawers with soft close



No. 559

Pull outs and drawers with soft close



Mirror cabinets

Series A



Series B



Series C









Illustrations and specifications are without obligation. Technical modifications reserved.

2017/2018

Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.





Program 057 - type list

The numbers represent POINTS not prices

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcase	Surcharge Premium equipment
Mirrors								
	Mirror LED lighting vertical 13,0 watt / converter 15 watt energy efficiency classe: A incl. toggle switch	59	700	720	F S A 4 3 7 0 7 2			
	Mirror LED lighting vertical 18,8 watt / converter 30 watt energy efficiency classe: A incl. toggle switch	59	1000	720	F S A 4 3 1 0 7 2			
	Mirror LED lighting vertical 22,6 watt / converter 30 watt energy efficiency classe: A incl. toggle switch	59	1200	720	F S A 4 3 1 2 7 2			
Mirror cabinets								
Series A								
 incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 1 LED surface-mounted lamp 500 mm 4,56 watt / converter 15 watt energy efficiency classe: A 2 central partitions, 6 glass shelves 1 switch socket element Door width: 196 mm / 296 mm / 196 mm	150	700	800	S 2 A 5 3 7 0 6 7			
 incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 1 LED surface-mounted lamp 800 mm 7,4 watt / converter 15 watt energy efficiency classe: A 2 central partitions, 6 glass shelves 1 switch socket element Door width: 288 mm / 412 mm / 288 mm	150	1000	800	S 2 A 5 3 1 0 6 7			
 incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 1 LED surface-mounted lamp 800 mm 7,4 watt / converter 15 watt energy efficiency classe: A 2 central partitions, 6 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm	150	1200	800	S 2 A 5 3 1 2 6 7			






Program 057 - type list

The numbers represent POINTS not prices

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcase	Surcharge Premium equipment
	mirror cabinet 3 mirror doors on wooden-plated 1 flyover shelf with LED lighting 4,0 watt / converter 15 watt energy efficiency classe: A 1 middle panel with chrome edge 2 central partitions, 6 glass shelves 1 switch socket element Door width: 196 mm / 296 mm / 196 mm	150	700	828	S 2 A 5 3 7 0 6 8			
incl. handle blocks								
	mirror cabinet 3 mirror doors on wooden-plated 1 flyover shelf with LED lighting 4,0 watt / converter 15 watt energy efficiency classe: A 1 middle panel with chrome edge 2 central partitions, 6 glass shelves 1 switch socket element Door width: 288 mm / 412 mm / 288 mm	150	1000	828	S 2 A 5 3 1 0 6 8			
incl. handle blocks								
	mirror cabinet 3 mirror doors on wooden-plated 1 flyover shelf with LED lighting 4,0 watt / converter 15 watt energy efficiency classe: A 1 middle panel with chrome edge 2 central partitions, 6 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm	150	1200	828	S 2 A 5 3 1 2 6 8			
incl. handle blocks	for single washbasin solution							
	mirror cabinet 3 mirror doors on wooden-plated 1 flyover shelf with LED lighting 2 lighting element 8,0 watt / converter 15 watt energy efficiency classe: A 1 middle panel with chrome edge 2 central partitions, 6 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm	150	1200	828	S 2 A 5 3 2 D 6 8			
incl. handle blocks	for double washbasin solutions							






Program 057 - type list

The numbers represent POINTS not prices

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcase	Surcharge Premium equipment
 <p>incl. handle blocks</p>		150	700	800	S 2 A 5 3 7 0 0 3			
<p>Mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 2 LED light profiles at the sides 2 X 7,44 watt / converter 30 watt energy efficiency classe: A 1 switch socket element Door width: 180 mm / 296 mm / 180 mm</p>								
 <p>incl. handle blocks</p>		150	1000	800	S 2 A 5 3 1 0 0 3			
<p>Mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 2 LED light profiles at the sides 2 X 7,44 watt / converter 30 watt energy efficiency classe: A 1 switch socket element Door width: 272 mm / 412 mm / 272 mm</p>								
 <p>incl. handle blocks</p>		150	1200	800	S 2 A 5 3 1 2 0 3			
<p>Mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 2 LED light profiles at the sides 2 X 7,44 watt / converter 30 watt energy efficiency classe: A 1 switch socket element Door width: 372 mm / 412 mm / 372 mm</p>								
<h2>Sets - cast mineral washbasin</h2>								
		500	706	872	S E T Q U 7 0 1			
<p>Consisting of: Cast mineral washbasin: white Washbasin base unit 700 mm 1 pull-out with cushioned closure and syphon cutout 2 pull-outs with buffered closing 1 Space-saving drain stretch trap 1 decor panel with chrome edge 4 decorative feet chrome</p>								
		500	1006	872	S E T Q U 1 0 1			
<p>Consisting of: Cast mineral washbasin: white Washbasin base unit, 1000 mm 1 pull-out with cushioned closure and syphon cutout 2 pull-outs with buffered closing 1 Space-saving drain stretch trap 1 decor panel with chrome edge 4 decorative feet chrome</p>								

Program 057 - type list





The numbers represent POINTS not prices

	Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcase	Surcharge Premium equipment
Depth indication corresponds to the carcass depth									
Sets - cast mineral washbasin									
	500	1206	872	S E T	Q U 1 2	1			
Consisting of: Cast mineral washbasin: white washbasin base unit 1200 mm 1 pull-out with cushioned closure and syphon cutout 2 pull-outs with buffered closing 1 Space-saving drain stench trap 1 decor panel with chrome edge 4 decorative feet chrome									
	500	1206	872	S E T	Q U 2 D	1			
Consisting of: Cast mineral washbasin: white washbasin base unit 1200 mm 1 pull-out with cushioned closure and 2 syphon cutouts 2 pull-outs with buffered closing 2 Space-saving drain stench traps 1 decor panel with chrome edge 4 decorative feet chrome									
Sets - ceramic washbasin									
	510	720	867	S E T	Q U 7 0	2			
Consisting of: Ceramic washbasin, white Washbasin base unit 700 mm 1 pull-out with cushioned closure and syphon cutout 2 pull-outs with buffered closing 1 Space-saving drain stench trap 1 decor panel with chrome edge 4 decorative feet chrome									
	510	1020	867	S E T	Q U 1 0	2			
Consisting of: Ceramic washbasin, white Washbasin base unit, 1000 mm 1 pull-out with cushioned closure and syphon cutout 2 pull-outs with buffered closing 1 Space-saving drain stench trap 1 decor panel with chrome edge 4 decorative feet chrome									
	500	1220	867	S E T	Q U 1 2	2			
Consisting of: Ceramic washbasin, white washbasin base unit 1200 mm 1 pull-out with cushioned closure and syphon cutout 2 pull-outs with buffered closing 1 Space-saving drain stench trap 1 decor panel with chrome edge 4 decorative feet chrome									

incl. height indication feet (120 mm)

Program 057 - type list






The numbers represent POINTS not prices

	Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcase	Surcharge Premium equipment
Depth indication corresponds to the carcase depth									
Sets - ceramic washbasin									
	500	1220	867	S E T	Q U 2 D	2			
Consisting of: Ceramic washbasin, white washbasin base unit 1200 mm 1 pull-out with cushioned closure and 2 syphon cutouts 2 pull-outs with buffered closing 2 Space-saving drain stretch traps 1 decor panel with chrome edge 4 decorative feet chrome									
Tall units									
	300	302	1748	H N A	0 8 3 A 4 S		L/R		
	300	402	1748	H N A	0 8 4 A 4 S		L/R		
Tall unit 1 door 4 glass shelves 2 pull-outs with buffered closing 1 top cover 325 mm deep 1 decor panel with chrome edge 4 decorative feet chrome									
	300	602	1748	H N A	0 8 6 A 4 S				
	Tall unit 2 doors 4 glass shelves 2 pull-outs with buffered closing 1 top cover 325 mm deep 1 decor panel with chrome edge 4 decorative feet chrome								
Central units									
	300	302	1268	M N A	7 7 3 A 1 S		L/R		
	300	402	1268	M N A	7 7 4 A 1 S		L/R		
Central unit 1 door 1 glass shelf 2 pull-outs with buffered closing 1 top cover 325 mm deep 1 decor panel with chrome edge 4 decorative feet chrome									

incl. height indication feet (120 mm)

Program 057 - type list





The numbers represent POINTS not prices

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcase	Surcharge Premium equipment
Central units										
	Central unit 2 doors 1 glass shelf 2 pull-outs with buffered closing 1 top cover 325 mm deep 1 decor panel with chrome edge 4 decorative feet chrome	300	602	1268	MNA776A1S					
	Central unit 1 door 3 glass shelves 1 top cover 325 mm deep 1 decor panel with chrome edge 4 decorative feet chrome	300	302	1268	MNA713A1S	L/R				
		300	402	1268	MNA714A1S	L/R				
	Central unit 2 doors 3 glass shelves 1 top cover 325 mm deep 1 decor panel with chrome edge 4 decorative feet chrome	300	602	1268	MNA716A1S					
Highboards										
	Highboard 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 325 mm deep 1 decor panel with chrome edge 4 decorative feet chrome	300	302	948	HBA553A1S	L/R				
		300	402	948	HBA554A1S	L/R				
	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep 1 decor panel with chrome edge 4 decorative feet chrome	300	602	948	HBA556A1S					

incl. height indication feet (120 mm)

Program 057 - type list






The numbers represent POINTS not prices

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcase	Surcharge Premium equipment
Highboards								
 <p>Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket 1 top cover 325 mm deep 1 decor panel with chrome edge 4 decorative feet chrome</p> <p>Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters</p>	300	302	948	H B A 5 5 3 W 1 S				
	300	402	948	H B A 5 5 4 W 1 S				
 <p>Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket 1 top cover 325 mm deep 1 decor panel with chrome edge 4 decorative feet chrome</p> <p>Volume of laundry basket: 55 liters</p>	300	602	948	H B A 5 5 6 W 1 S				
Wall units								
 <p>Wall unit 1 door 2 compartments</p>	150	300	800	O G A 5 1 3 0	1	L/R		
	150	400	800	O G A 5 1 4 0	1	L/R		
 <p>Wall unit 2 doors 2 compartments</p>	150	600	800	O G A 5 1 6 0	1			

incl. height indication feet (120 mm)









Program 057 - type list

The numbers represent POINTS not prices

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number		Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
Push-fit shelf								
	Push-fit shelf							
Push-fit shelf 300 mm, with ABS thick edge all around	150	300	28	S B G	6 0 3 0			
Push-fit shelf 400 mm, with ABS thick edge all around	150	400	28	S B G	6 0 4 0			
Push-fit shelf 600 mm, with ABS thick edge all around	150	600	28	S B G	6 0 6 0			
push-fit shelf 700 mm, with ABS thick edge all around	150	700	28	S B G	6 0 7 0			
push-fit shelf 1000 mm, with ABS thick edge all around	150	1000	28	S B G	6 0 1 0			
Push-fit shelf 1200 mm, with ABS thick edge all around	150	1200	28	S B G	6 0 1 2			
Colour version corresponds to the carcass colour								
Accessories								
	LED lighting element Width: 500 mm 4,56 watt energy efficiency classe: A for S2A 5370 03							
	LED lighting element Width: 800 mm 7,44 watt energy efficiency classe: A for S2A 5310 03, S2A 5312 03							
	LED washbasin lighting 2,4 watt energy efficiency classe: A 1 switch element to fit underneath mirror cabinet S2A 5370 67, S2A 5370 68, S2A 5370 03 not suitable with Emotion lighting							
	LED washbasin lighting 3,9 watt energy efficiency classe: A 1 switch element to fit underneath mirror cabinet S2A 5310 67, S2A 5310 68, S2A 5310 03 not suitable with Emotion lighting							

Program 057 - type list

The numbers represent POINTS not prices

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
 <p>LED washbasin lighting 5,3 watt energy efficiency classe: A 1 switch element to fit underneath mirror cabinet S2A 5312 67, S2A 5312 68, S2A 532D 68, S2A 5312 03 not suitable with Emotion lighting</p>		1160		P Z	1 0 6 3 1 2				
 <p>Towel holder chrome opened forward to fit on carcass at side please note carcass depth</p>	380			P Z	1 1 2 7 4 5				
 <p>Towel holder one-armed extendable Chrome hgl. for the wall attachment</p>	330-567	44	44	P Z	1 1 3 7 1				
 <p>Towel holder two-armed extendable Chrome hgl. for the wall attachment</p>	322-562	87	47	P Z	1 1 3 7 2				
 <p>Cosmetic mirror 2-times magnified vacuum cup and fixation metal fixing bracket chrome</p>		150	150	P Z	1 2 3 3				
 <p>Touch LED Dimmer for LED mirror cabinets and lightings</p>				P Z	1 0 5 7				
 <p>Container transparent with 1 attachment option can be combined with mounting rails - PZ 1237 L</p>	84	84	65	P Z	1 2 3 7 B 1				
 <p>Container transparent with 2 attachment options can be combined with mounting rails - PZ 1237 L</p>	168	84	65	P Z	1 2 3 7 B 2				


Program 057 - type list

The numbers represent POINTS not prices


Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number			Hinge	Surcharge high-gloss carcass	Surcharge Premium equipment
				P	Z				
Accessories									
 Container transparent with 3 attachment options can be combined with mounting rails - PZ 1237 L	251	84	65	P Z	1 2 3 7	B 3			
 Positioning strip white with 1 attachment option can be combined with storage boxes - PZ 1237 B	27	83	9	P Z	1 2 3 7	L 1			
 Positioning strip white with 2 attachment options can be combined with storage boxes - PZ 1237 B	27	167	9	P Z	1 2 3 7	L 2			
 Positioning strip white with 3 attachment options can be combined with storage boxes - PZ 1237 B	27	250	9	P Z	1 2 3 7	L 3			
 Positioning strip white with 6 attachment options can be combined with storage boxes - PZ 1237 B	27	504	9	P Z	1 2 3 7	L 6			
 Drawer partitioning beech, semi-solid for washbasin base units can only be combined with standard technology	102	314	65	P Z	1 2 4 1	3 5			
 Drawer insert beech, semi-solid hook-in type for washbasin base units can only be combined with standard technology	85	162	35	P Z	1 2 4 0	1 5			
	85	262	35	P Z	1 2 4 0	2 5			
	85	362	35	P Z	1 2 4 0	3 5			
	85	462	35	P Z	1 2 4 0	4 5			

Program 057 - dimensional drawings


SET QU70 1




SET QU10 1




SET QU12 1




SET QU2D 1




SET QU70 2




SET QU10 2




SET QU12 2



SET QU2D 2



electrical connections for mirror cabinets



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.